JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
63(4), 1990, pp. 656–660

# INDEX TO VOLUME 63

Aarhus, D.G., 227
absconding colonies of bees, compared to swarming colonies, 179
abundance, of grasshoppers, 405
*Acarapis woodi,* spread in Mexico, 375
Acari, Acaridae, 603
acaricides, dicofol and dimethoate, 218
*Acmaeodera impluviata,* courtship, 340
Acrididae, used in wind tunnel experiments, 316; phenology, 405; fungal pathogen of, 454
acridine orange (dye), internal markers, 634
aerodynamic forces, on wings of locust, 316
African honey bees, behavior, 179
Akre, R.D., 175, 437
alate aphids, associated with small grains, 559
Alcock, J., 399
alfalfa seed chalcids, 361; parasites of, 361
alkali bees, mites associated with, 603
Allison, D., 559
amaranth, oviposition on by Lygus, 88
Anderson, K., 351
*Andrena alleghaniensis,* bionomics of, 260
*Andrena nivalis,* nesting biology, 166
annual meeting of Central States Entomological Society, notice of, 211(1990), 610(1991)
Anthophoridae, 414
Anthophoridae, *Xylocopa,* 329
ants, fire ant populations in Mexico, 611
ants, functions of psammophore, 138
ants, hosts of *Microdon,* 175
ants, new species of *Neivamyrmex,* 348; *Myrmica,* cuticular hydrocarbons, 437
aphids, associated with grains, 559; key to viviparae, 597
aphids, feeding damage to wheat, 187
aphids, parasitized by braconids, 158
aphidids, Russian wheat aphid, 646
Apidae, *Eulaema,* 150
Apidae, *Liotrigona,* 444
*Apis mellifera,* pollen harvesting by, 92
*Apis mellifera scutellata,* behavior, 179
*Apis mellifera,* swarming dynamics, 288; pre-Africanized, 288
*Apis mellifera,* extracted hydrocarbons, 369; tracheal mites, 375
Apoidea, 260, 279
Arbogast, R.T., 506
Armendedo, H., 611
army ants, new species of, 348
artificial diet for sunflower moth larvae, 208
*Athysanella,* classification of 5 subgenera, 304; key to subgenus *Diphipyga,* 305
*Athysanella,* classification of subgenus *Amphipyga,* 101; key to males, 102
*Athysanella* (*Amphipyga*), new species: **nielsoni,** 107; **omani,** 109; **ectopa,** 110; **expulsa,** 112; **valla,** 116; **catarma,** 121; phylogeny, 129
*Athysanella* (*Gladionura*), classification, 9; key to males, 10; new species: **senta,** 15; **andyi,** 20; **nata,** 26; **falla,** 27; **crispa,** 30; **gilli,** 31; **tessa,** 32
baculoviruses, in tobacco budworm, 393
Bailey, W.C., 447
bait-hives, use in trapping honey bees, 288
Balsbaugh, E.U., 227
*Baptisia* species, attacked by blister beetles, 616
Barak, A.V., 466, 539
Barker, J.F., 638
Batra, S.W.T., 260
*Beauveria bassiana,* seasonal occurrence in corn borer, 243
Beeman, R.W., 385
bees, *Andrena,* bionomics of, 260
bees, behavior of queens and workers, 179
bees, *Braunsapis* from India, 458
bees, *Coelioxoides,* phylogeny, 279
bees, ground-nesting, use of fiberglass resin to determine nest architecture, 641
bees, *Lasioglossum* from Costa Rica, 450
bees, *Liotrigona,* 444
bees, nesting biology of *Andrena nivalis,* 166
bees, *Osmia ribifloris,* pollinator of blueberry, 427
bees, territory selection by male *Xylocopa,* 329; tracheal mites of, 375
behavior, lek, in *Drosophila,* 652
behavior, of *Andrena nivalis,* 166
behavior, of queens and workers of African honey bee, 179
behavior, of tarantula-hawk, 399
Benezet, H., 548
bionomics, of *Andrena alleghaniensis,* 260
bionomics, of *Pseudopyrota,* 69
biosynthesis, of cuticular hydrocarbons, 437
blister beetles, genus *Pseudopyrota,* 46
blister beetles, on *Baptisia,* 616
Blocker, H.D., 9
Blocker, H.D., 101, 304
blue alfalfa aphid, parasitism of, 298
blueberry, pollinated by *Osmia* bees, 427
Bohart, G.E., 603
Bostrichidae, in wood rat nests, 344
Boydston, L., 559
*Brachypanorpa* **sacajawea,** n.sp., 211
Braconidae, parasitoids of cabbage aphid, 158
*Braunsapis* **kaliago,** new species from India, 458; mixta, synonymy, 458
Brockschmidt, J., 351
Brown, G.C., 218
Brown, G.C., 393
Buchmann, S.L., 92
Buchmann, S.L., 329
Buprestidae, courtship, 340
Burkholder, W.E., 466, 539
burrow of prairie mole cricket, 237
Byers, G.W., 211
cabbage aphid, braconid parasitoid, 158
Capinera, J.L., 405
Cardoso-Tamez, D., 375
carpenter bees, 414
carpenter bees, male territory, 329
caste differences in extracted hydrocarbons in honey bees, 369

JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
63(4), 1990, pp. 656–660

# INDEX TO VOLUME 63

Aarhus, D.G., 227
absconding colonies of bees, compared to swarming colonies, 179
abundance, of grasshoppers, 405
*Acarapis woodi,* spread in Mexico, 375
Acari, Acaridae, 603
acaricides, dicofol and dimethoate, 218
*Acmaeodera impluviata,* courtship, 340
Acrididae, used in wind tunnel experiments, 316; phenology, 405; fungal pathogen of, 454
acridine orange (dye), internal markers, 634
aerodynamic forces, on wings of locust, 316
African honey bees, behavior, 179
Akre, R.D., 175, 437
alate aphids, associated with small grains, 559
Alcock, J., 399
alfalfa seed chalcids, 361; parasites of, 361
alkali bees, mites associated with, 603
Allison, D., 559
amaranth, oviposition on by Lygus, 88
Anderson, K., 351
*Andrena alleghaniensis,* bionomics of, 260
*Andrena nivalis,* nesting biology, 166
annual meeting of Central States Entomological Society, notice of, 211(1990), 610(1991)
Anthophoridae, 414
Anthophoridae, *Xylocopa,* 329
ants, fire ant populations in Mexico, 611
ants, functions of psammophore, 138
ants, hosts of *Microdon,* 175
ants, new species of *Neivamyrmex,* 348; *Myrmica,* cuticular hydrocarbons, 437
aphids, associated with grains, 559; key to viviparae, 597
aphids, feeding damage to wheat, 187
aphids, parasitized by braconids, 158
aphidids, Russian wheat aphid, 646
Apidae, *Eulaema,* 150
Apidae, *Liotrigona,* 444
*Apis mellifera,* pollen harvesting by, 92
*Apis mellifera scutellata,* behavior, 179
*Apis mellifera,* swarming dynamics, 288; pre-Africanized, 288
*Apis mellifera,* extracted hydrocarbons, 369; tracheal mites, 375
Apoidea, 260, 279
Arbogast, R.T., 506
Armendedo, H., 611
army ants, new species of, 348
artificial diet for sunflower moth larvae, 208
*Athysanella,* classification of 5 subgenera, 304; key to subgenus *Diphipyga,* 305
*Athysanella,* classification of subgenus *Amphipyga,* 101; key to males, 102
*Athysanella* (*Amphipyga*), new species: **nielsoni,** 107; **omani,** 109; **ectopa,** 110; **expulsa,** 112; **valla,** 116; **catarma,** 121; phylogeny, 129
*Athysanella* (*Gladionura*), classification, 9; key to males, 10; new species: **senta,** 15; **andyi,** 20; **nata,** 26; **falla,** 27; **crispa,** 30; **gilli,** 31; **tessa,** 32
baculoviruses, in tobacco budworm, 393
Bailey, W.C., 447
bait-hives, use in trapping honey bees, 288
Balsbaugh, E.U., 227
*Baptisia* species, attacked by blister beetles, 616
Barak, A.V., 466, 539
Barker, J.F., 638
Batra, S.W.T., 260
*Beauveria bassiana,* seasonal occurrence in corn borer, 243
Beeman, R.W., 385
bees, *Andrena,* bionomics of, 260
bees, behavior of queens and workers, 179
bees, *Braunsapis* from India, 458
bees, *Coelioxoides,* phylogeny, 279
bees, ground-nesting, use of fiberglass resin to determine nest architecture, 641
bees, *Lasioglossum* from Costa Rica, 450
bees, *Liotrigona,* 444
bees, nesting biology of *Andrena nivalis,* 166
bees, *Osmia ribifloris,* pollinator of blueberry, 427
bees, territory selection by male *Xylocopa,* 329; tracheal mites of, 375
behavior, lek, in *Drosophila,* 652
behavior, of *Andrena nivalis,* 166
behavior, of queens and workers of African honey bee, 179
behavior, of tarantula-hawk, 399
Benezet, H., 548
bionomics, of *Andrena alleghaniensis,* 260
bionomics, of *Pseudopyrota,* 69
biosynthesis, of cuticular hydrocarbons, 437
blister beetles, genus *Pseudopyrota,* 46
blister beetles, on *Baptisia,* 616
Blocker, H.D., 9
Blocker, H.D., 101, 304
blue alfalfa aphid, parasitism of, 298
blueberry, pollinated by *Osmia* bees, 427
Bohart, G.E., 603
Bostrichidae, in wood rat nests, 344
Boydston, L., 559
*Brachypanorpa* **sacajawea,** n.sp., 211
Braconidae, parasitoids of cabbage aphid, 158
*Braunsapis* **kaliago,** new species from India, 458; mixta, synonymy, 458
Brockschmidt, J., 351
Brown, G.C., 218
Brown, G.C., 393
Buchmann, S.L., 92
Buchmann, S.L., 329
Buprestidae, courtship, 340
Burkholder, W.E., 466, 539
burrow of prairie mole cricket, 237
Byers, G.W., 211
cabbage aphid, braconid parasitoid, 158
Capinera, J.L., 405
Cardoso-Tamez, D., 375
carpenter bees, 414
carpenter bees, male territory, 329
caste differences in extracted hydrocarbons in honey bees, 369

caste-specific patterns of sensilla in termite, 204
*Ceratina calcarata,* 414
Chambers, J., 490
Chapman, T.W., 641
chemical control, of insects in stored wheat, 351
chemical pesticides, interaction of with induced resistance, 218
chemoreceptors, caste-specific in termite, 204
*Chenopodium quinoa,* insects associated with, 195
cherry fruit fly, 80
chlorpyrifos-methyl, resistance to, 385
Cicadellidae, classification of *Athysanella,* 9
Cicadellidae, classification of *Athysanella,* 101, 304
Cicadellidae, *Empoasca fabae,* 420
Clement, S.L. 646
Cline, L.D., 526
*Coelioxoides,* phylogeny, 279; key to species, 282
Cogburn, R.R., 526
combination-type traps, 539
cost of chemical control, of insects in stored wheat, 351
courtship, genitalic, in buprestid, 340; copulatory, in vespid wasp, 342
Cranshaw, W.S., 195
Cross, E.A., 603
Cuperus, G.W., 486, 500
Curculionoidea, 227; checklist for North Dakota, 227
Curculionidae, sunflower stem weevil, 638
cuticular hydrocarbons, mimicry in *Microdon,* 437
Delphacidae, morphology and mating behavior, 267
desert locust, wind-tunnel experiments, 316
design, of traps for stored-product insects, 466
*Diaeretiella rapae,* parasitoid of cabbage aphid, 158
Dietz, A., 375
Dix, M.E., 648
*Drosophila imparisetae,* lek behavior, 652
dye, acridine orange, for internal marking of insects, 634
dye-marking, effects of on western corn rootworm, 1
Eberhard, W.G., 340, 342
Eischen, F.A. 375
Elkinton, J.S. 158
Elliott, N.C., 1
*Empoasca fabae,* ovipositional potential, 420
*Entomophaga grylli,* fungal pathogen of grasshoppers, 454
*Entomophaga grylli,* infecting *Melanoplus,* 252
*Epicauta fabricii,* on legumes, 616
estimation of populations of stored-product insects, 500
*Eulaema,* mixed colony, 150; parasitoids, 150
*Eumenes consobrinus,* courtship, 342
European corn borer, 193
Evans, E.W., 616
Fargo, W.S., 486
Faustini, D.L., 466, 539
fecundity, of carpenter bees, 414
fiberglass resin, use in determining nest architecture of ground-nesting bees, 641
Fields, P.G., 506
Figg, D.E., 237
fire ants, in Mexico, monogyne and polygyne populations compared, 611
Fleming, E.E., 344
flight, forces on wings of desert locust in wind tunnel, 316
Flinn, P.W., 486, 500
food, pheromone-traps in, 548
food attractants, 490
food-baited traps, 533
foraging behavior, of Osmia bees, 430
Formicidae, Ecitoninae, 348
Formicidae, fire ants, 611
Formicidae, functions of psammophore, 138
Formicidae, hosts of *Microdon,* 175
Formicidae, *Myrmica,* 437
fungus, *Beauveria,* in corn borer, 243
fungus, *Entomophaga* infecting *Melanoplus,* 252
fungus, attacking grasshoppers, 454
Galford, J.R., 626
Garnett, W.B., 175
Garza de Estrada, C., 375
Gellner, J.L., 187
Gilstrap, F.E., 243
Gonzalez, D., 611
*Gossypium,* source of pollen for honey bees, 92
grasses, endophyte-infected, resistance to aphids, 646
grasshoppers, fungal pathogen of, 454
grasshoppers, phenology, 405
greenbug, feeding damage to wheat, 187
Gryllidae (Gryllotalpidae), 237
*Gryllotalpa major,* song and burrow, 237
Guthrie, W.D., 193
Hagstrum, D.W., 464, 486, 500
Halictidae, new species of *Lasioglossum,* 450
harvester ants, psammophore, 138
Hasibuan, R., 218
Heady, S.E., 267
*Heliothis virescens,* baculoviruses in, 393
Higley, L.G., 447
Hildebrand, D.F., 218
Hillmann, R.C., 506
honey bee, African, behavior, 179
honey bees, extracted hydrocarbons of, 369
honey bees, rate of harvesting pollen, 92
honey bees, swarming dynamics, 288
honey bees, tracheal mites of, 375
host choice, by *Rhagoletis,* 80
Howard, R.W., 437
hydrocarbons, caste differences in honey bees, 369; cuticular, 437
insecticides, resistance to in stored-product insects, 385
internal marking of insects with dye, 634
interpretation of trap catch, 500, 556
Jackson, D.M., 393
Jarvis, J.L., 193
Johnson, J.W., 9
Johnson, J.W., 101, 304
Johnson, M.D., 399, 414
Jorgensen, C.D., 138
Kaiser, W.J., 646
Keever, D.W., 500

Kevan, P.G., 641
Kieckhefer, R.W., 187
Knutson, A.E., 243
Kondratieff, B.C., 195
Kondratieff, B.C., 643
Krischik, V., 548
Lamp, W.O., 420
Lance, D.R., 1
larvae, of *Stelidota*, descriptions and key, 626
*Lasioglossum* (*Dialictus*) **figueresi**, new species from Costa Rica, 450
leafhoppers, revision of *Athysanella*, 9
leafhoppers, classification of *Athysanella*, 101, 304
lek behavior, of *Drosophila imparisetae*, 652
Leos-Martinez, J., 539
*Liotrigona*, from Madagascar, 444; **nilssoni**, new species, 444
Lopez, E.R., 158
Loschiavo, S.R., 506
Lunden, J.D., 166
*Lygus lineolaris*, oviposition, 88
Mackay, W.P., 611
Maki, D.L., 288
Maki, D.L., 375
*Malachius ulkei*, egg predator of spring canker-worm, 648
malathion, resistance to, 385
Manglitz, G.R., 298
Mankin, R.W., 526
Margolies, D.C., 252
mark-recapture, of western corn rootworm, 1
mating behavior, of *Prokelisia*, 267
mating behavior, of *Pseudopyrota*, 71
Mayer, D.F., 166
Mecoptera, 211
Megachilidae, *Osmia ribifloris*, 427
*Melipona favosa*, status of subspecies, 200
Meloidae, on *Baptisia*, 616
Meloidae, revision of *Pseudopyrota*, 46
Messina, F.J., 80
Michener, C.D., 444
*Microdon albicomatus*, cuticular hydrocarbons, 437
*Microdon* species, in ant nests, 175
Miliczky, E.R., 166
mimicry, of cuticular hydrocarbons, 437
Minckley, R.L., 329
Miridae, oviposition, 88
mites, associated with alkali bees, 603
mites, tracheal, in honey bees, 375
Moffett, J.O., 361
mole crickets, 237
monitoring stored-product insects, 539
Moreno, B., 187
morphology, of ovipositor of *Prokelisia*, 267
Morse, J.C., 133
Mueller, D., 548
Mullen, M., 526
Mydidae, new species of *Nemomydas*, 643
Myles, T.G., 204
*Myrmica incompleta*, cuticular hydrocarbons, 437
Nechols, J.R., 252
*Neivamyrmex* **crassiscapus**, new species, 348
Nelson, D.R., 454
*Nemomydas* **hooki**, new species, 643; key 644
nest architecture, of *Andrena nivalis*, 166; determined by use of fiberglass resin, 641
nest architecture, determination of by use of fiberglass resin, 641
Nitidulidae, larvae of *Stelidota*, 626
Noctuidae, *Papaipema*, 447
*Nomia melanderi*, 603
Nordin, G.L., 393
notice of annual meeting(1990), 211; (1991) 610
*Nyctiophylax* **barrorum**, new species, 133; key to North American species, 135
O'Keefe, L.E., 461
Olson, D.L., 88
*Osmia ribifloris*, 427
oviposition, by cherry fruit fly, 80; by tarnished plant bug, 88
ovipositional potential of potato leafhopper, 420
*Paleacrita vernata*, egg predator of, 648
palps, sensory structures on, in termite, 204
Panorpodidae, 211
*Papaipema* species in Iowa, 447
Papaj, D.R., 634
parasitic bees, *Coelioxoides*, 279
parasitism, differential rates of in aphids, 158; of andrenid bees, 173
parasitism, of aphids by *Praon*, 298
parasitoids, of alfalfa seed chalcids, 361
parasitoids, of *Eulaema* bees, 150; of cabbage aphids, 158
Parra, G.N., 200
pea aphid, parasitism of, 298
Pedersen, J., 351
Peng, C., 626
*Pepsis thisbe*, male behavior, 399
Peterson, R.K.D., 447
Pettis, J.S., 375
phenology of grasshoppers, 405
pheromone-baited sticky-traps, 526
pheromones, of stored-product insects, 490; of beetles, 493
photoperiod, effect on mortality of *Melanoplus*, 252
phylogeny, of *Athysanella* (Cicadellidae), 129, 304
phylogeny, of *Coelioxoides*, 279
phylogeny, of subgenus *Gladionura* (Cicadellidae), 41
Pierce, L., 548
Pike, K.S., 559, 646
Pinniger, D.B., 533
pitfall traps, use in stored grain, 506
pollen harvesting, by *Apis mellifera*, 92
pollination, of blueberry by *Osmia* bees, 427
Polycentropodidae, 133
Pompilidae, 399
population dynamics, of alfalfa seed chalcids, 361
populations, estimation of, 500
Porter, S.D., 138
Porter, S., 611
Post, D., 344
potato leafhopper, ovipositional potential, 420
*Praon pequodorum*, parasite of aphids, 298
primiphos-methyl, resistance to, 385

probe traps, 486, 506
*Prokelisia,* morphology and mating behavior, 267
Przybyszewski, J., 405
psammophore, functions, 138
*Pseudopyrota,* revision of, 46; key to species, 53; new species; **ephemeris,** 57; **lyttomeloides,** 59; eggs and larvae, 60
*Pterotermes occidentis,* sensilla on palps, 204
Qian, T., 195
quinoa, insects associated with, 195
Ranne, E.L., 420
Rebeles, A., 611
Reed, C., 351
reproduction, of aphids affected by parasitism, 298
Resendez-B., J.J., 288
resistance, induced, of soybean against *Tetranychus urticae,* 218
resistance, of grasses to Russian wheat aphid, 646
resistance, to insecticides by stored-product insects, 385
resistant maize, effect on European corn borer, 193
Rethwisch, M.D., 298
Reyes, S.G., 458
*Rhagoletis,* host choice, 80
*Rhyzopertha dominica,* survival in wood rat nests, 344
Rodriguez, A., 611
Rodriguez, J.G., 218
Roiq-Alsina, A., 279
Roitberg, B.D., 634
Roubik, D.W., 150
Roubik, D.W., 200
Rubink, W.L., 288, 375
Russian wheat aphid, feeding damage to wheat, 187
Russian wheat aphid, grasses resistant to, 646
Sakagami, S.F., 458
*Sancassania boharti,* life history, 603
*Schistocerca gregaria,* force on wings in wind tunnel, 316
Schneider, S.S., 179
seed chalcids, alfalfa, 361
Selander, R.B., 46
sensory structures, caste-specific patterns in termites, 204
Shelly, T.E., 652
Shipman, C.W., 92
size, of carpenter bees, 414
Smith, R-K., 369
Smith, R.L., 204
social behavior, in *Eulaema,* 150
social parasite, *Braunsapis,* 458
*Solenopsis geminata,* monogyne and polygyne populations compared, 611
song, of prairie mole cricket, 237
southwestern corn borer, *Beauveria* in, 243
spatial patterns in grasshoppers, 405
spring cankerworm, egg predator of, 648
Stanley-Samuelson, D.W., 437
*Stelidota,* descriptions of larvae, 626; key, 632
sticky-traps, pheromone-baited, 526
sticky-trapped arthropods, cleaning, 461
stored-grain insects, capture in probe traps, 486, 506; detection of, 554; pitfall traps, 506
stored-product insects, 351; resistance to insecticides, 385
stored-product insects, detection by sticky-traps, 526; monitoring by combination-type traps, 539
stored-product insects, estimation of populations, 500; traps for, 466; pheromones, 490
Strand, M.R., 634
Suarez, A., 375
Subramanyam, B., 500, 506
subspecies of *Melipona favosa,* 200
sunflower moth, 208; larval rearing diet, 208
sunflower stem weevil, 638
survival, of western corn rootworm marked by dyes, 1
susceptible maize, damaged by European corn borer, 193
swarming behavior, of honey bees, 288
swarming colonies of bees, compared to absconding colonies, 179
sympatry, among subspecies of *Melipona favosa,* 200
Syrphidae, *Microdon,* 437
Syrphidae, *Microdon* spp. in ant nests, 175
tarantual-hawk wasp, behavior, 399
tarnished plant bug, oviposition, 88
Tarsonemidae, 375
Taylor, O.R., 369
temperature, at nests of *Andrena,* 260
temperature, effect on mortality of *Melanoplus,* 252
temporal patterns in grasshoppers, 405
Tephritidae, 80
territory, selection by male *Xylocopa,* 329
*Tetranychus urticae,* pest of soybean, 218
Thoenes, S.C., 361
Throne, J.E., 506, 526
Tillotson, D.K., 252
tobacco, pheromone-traps in, 548
tobacco budworm, 393
Torchio, P.F., 427
transmission of baculoviruses, 393
Trapping Technology for Monitoring Stored-Product Insects, papers from workshop, 463; introduction, 464
traps, combination-type, 539; food-baited, 490, 533; pheromone*baited, 490, 526, 548; pitfall, 506; probe, 486, 506
traps, factors affecting design, 466; variables affecting capture in probe traps, 486
trichomes, of sunflower, avoided by weevil, 638
Trichoptera, 133
ultrasonic cleaning of sticky-trapped arthropods, 461
Valovage, W.D., 454
Van Driesche, R.G., 158
Vargas, J. 375
Vespidae, courtship, 342
Vick, K.W., 526
Vinson, S.B., 611
Walker, T.J., 237
Watkins, J.F., 348
Weislo, W.T., 450

weevils, of North Dakota, 227
Welch, J.L., 643
western corn rootworm, dye-marking, 1
wheat, farm-stored, insect control in, 351
wheat, greenhouse-grown, damaged by aphids, 187
White, N.D.G., 506
Wilkin, D.R., 554
Wilkin, P.J., 316
Williams, L., 461
Williams, R.N., 626
Willis, D.S., 641
Willsie, A.P., 641
Wilson, A.D., 646
Wilson, R.L., 88
Wilson, R.L., 208
Wilson, S.W., 267
Wilson, W.T., 288
Wilson, W.T., 375
wind tunnel, force on desert locust, 316
wood rat nests, bostrichid beetles in, 344
Wright, V., 351
Wright, V.F., 344
Wright, V.F., 385
Wright, V.F., 464, 506, 526
Xylocopa varipuncta, territory of male, 329
Zack, R.S., 175